

## Mid to High Rise Residential and all New Non-Residential Development

The Toronto Green Standard Version 4.0 Statistics Template is submitted with Site Plan Control Applications and stand-alone Zoning Bylaw Amendment applications. Complete the table and copy it directly onto the Site Plan submitted as part of the application.

For Zoning Bylaw Amendment applications: complete General Project Description and Section 1.

For Site Plan Control applications: complete General Project Description, Section 1 and Section 2.

For further information, please visit [www.toronto.ca/greendevlopment](http://www.toronto.ca/greendevlopment)

| General Project Description                        | Proposed |
|----------------------------------------------------|----------|
| Total Gross Floor Area                             |          |
| Breakdown of project components (m <sup>2</sup> ): |          |
| Residential                                        |          |
| Retail                                             |          |
| Commercial                                         |          |
| Industrial                                         |          |
| Institutional/Other                                |          |
| Total number of residential units                  |          |

### Section 1: For Stand Alone Zoning Bylaw Amendment Applications and Site Plan Control Applications

| Low Emissions Transportation                  | Required | Proposed | Proposed % |
|-----------------------------------------------|----------|----------|------------|
| Number of Parking Spaces                      |          |          |            |
| Number of EV Parking Spaces (Residential)     |          |          |            |
| Number of EV Parking Spaces (non-residential) |          |          |            |

| Cycling Infrastructure                                | Required | Proposed | Proposed % |
|-------------------------------------------------------|----------|----------|------------|
| Number of long-term bicycle parking spaces (all-uses) |          |          |            |
| Number of long-term bicycle parking located on:       |          |          |            |
| a) first storey of building                           |          |          |            |
| b) second storey of building                          |          |          |            |
| c) first level below-ground                           |          |          |            |
| d) second level below-ground                          |          |          |            |
| e) other levels below-ground                          |          |          |            |



## Mid to High Rise Residential and all New Non-Residential Development

| Cycling Infrastructure                                   | Required | Proposed | Proposed % |
|----------------------------------------------------------|----------|----------|------------|
| Number of short-term bicycle parking spaces              |          |          |            |
| Number of shower and change facilities (non-residential) |          |          |            |

| Tree Canopy                                                                       | Required | Proposed | Proposed % |
|-----------------------------------------------------------------------------------|----------|----------|------------|
| Total Soil Volume (40% of the site area ÷ 66 m <sup>2</sup> x 30 m <sup>3</sup> ) |          |          |            |
| Soil volume provided within the site area (m <sup>3</sup> )                       |          |          |            |
| Soil Volume provided within the public boulevard (m <sup>3</sup> )                |          |          |            |

### Section 2: For Site Plan Control Applications

| Cycling Infrastructure                                                                        | Required | Proposed | Proposed % |
|-----------------------------------------------------------------------------------------------|----------|----------|------------|
| Number of short-term bicycle parking spaces (all uses) at-grade or on first level below grade |          |          |            |
| Number of publicly accessible bicycle parking spaces                                          |          |          |            |
| Number of energized outlets for electric bicycles                                             |          |          |            |

| Tree Canopy                                                                       | Required | Proposed | Proposed % |
|-----------------------------------------------------------------------------------|----------|----------|------------|
| Total site area (m <sup>2</sup> )                                                 |          |          |            |
| Total Soil Volume (40% of the site area ÷ 66 m <sup>2</sup> x 30 m <sup>3</sup> ) |          |          |            |
| Total number of trees planted                                                     |          |          |            |
| Number of surface parking spaces (if applicable)                                  |          |          |            |
| Number of shade trees located in surface parking area                             |          |          |            |

| Landscaping & Biodiversity                                                                                                     | Required | Proposed | Proposed % |
|--------------------------------------------------------------------------------------------------------------------------------|----------|----------|------------|
| Total non-roof hardscape area (m <sup>2</sup> )                                                                                |          |          |            |
| Total non-roof hardscape area treated for Urban Heat Island (minimum residential 75% or non-residential 50%) (m <sup>2</sup> ) |          |          |            |
| Area of non-roof hardscape treated with: (indicate m <sup>2</sup> )                                                            |          |          |            |
| a) high-albedo surface material                                                                                                |          |          |            |
| b) open-grid pavement                                                                                                          |          |          |            |
| c) shade from tree canopy                                                                                                      |          |          |            |

## Mid to High Rise Residential and all New Non-Residential Development

| Landscaping & Biodiversity                                        | Required | Proposed | Proposed % |
|-------------------------------------------------------------------|----------|----------|------------|
| d) shade from high-albedo structures                              |          |          |            |
| e) shade from energy generation structures                        |          |          |            |
| Percentage of Lot Area as Soft Landscaping (non-residential only) |          |          |            |
| Total number of plants                                            |          |          |            |
| Total number of native plants and % of total plants               |          |          |            |
| Available Roof Space (m <sup>2</sup> )                            |          |          |            |
| Available Roof Space provided as Green Roof (m <sup>2</sup> )     |          |          |            |
| Available Roof Space provided as Cool Roof (m <sup>2</sup> )      |          |          |            |
| Available Roof Space provided as Solar Panels (m <sup>2</sup> )   |          |          |            |

| Bird Collision Deterrence                                                                                     | Required | Proposed | Proposed % |
|---------------------------------------------------------------------------------------------------------------|----------|----------|------------|
| Total area of glazing of all elevations within 16m above grade                                                |          |          |            |
| Total area of treated glazing (minimum 85% of total area of glazing within 16m above grade) (m <sup>2</sup> ) |          |          |            |
| Percentage of glazing within 16m above grade treated with:                                                    |          |          |            |
| a) Visual markers                                                                                             |          |          |            |
| b) non-reflective glass                                                                                       |          |          |            |
| c) Building integrated structures                                                                             |          |          |            |